

MCI Clearance Mode

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
1	submitter_organization_id	State Reporting>Create>PPS>Organization	N/A	N/A	Entered each time a PPS xml file is created.
2	submission_date	N/A	N/A	N/A	This date defaults to the date the xml file is created.
3	mci_flag	State Reporting>Create>PPS>Export Files - MCI Clearance File checkbox selected	N/A	N/A	Reports as Y when MCI Clearance File checkbox is selected.
4	number_of_records_transmitted	N/A	N/A	N/A	Calculated during xml file creation.
5	record_id	N/A	dbo.Clients	id	
6	recipient_id	Clients>Profile>Unique State Identifier	dbo.Clients	UniqueStateIdentifier	This column stores the state assigned MCI number. If this column is blank, the Client is included when creating an MCI Clearance file. Importing an MCI file updates the column when the record_id matches the dbo.Clients id.
7	recipient_first_name	Clients>Profile>First Name	dbo.ClientNames	FirstName	
8	recipient_middle_name	Clients>Profile>Middle Name	dbo.ClientNames	MiddleName	
9	recipient_last_name	Clients>Profile>Last Name	dbo.ClientNames	LastName	
10	recipient_suffix_name	Clients>Profile>Suffix	dbo.ClientNames	Suffix	
11	recipient_birth_date	Clients>Profile>Birth Date	dbo.Clients	BirthDate	
12	social_security_number	Clients>Profile> Social Security #	dbo.Clients	SSN	
13	gender	Clients>Profile>Gender At Birth	dbo.Clients	GenderAtBirth	If GenderAtBirth is Null, then the value in the Legal Gender field is reported. If both are NULL, the job throws an error.
14	local_client_id	N/A	dbo.Clients	ClientCode	Created when Client is initially added in EchoVantage. Note that PPS reporting only allows a maximum of 14 characters. The ClientCode column in EchoVantage is varchar(15).

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
1	submitter_organization	State Reporting>Create>PPS>Organization Id	--	--	Entered each time a PPS xml file is created.
2	submission_date	N/A	dbo.WIPPSMH	SubmissionDate	This date defaults to the date the xml file is created. If this column has a value or values, the most recent is displayed in the <i>Last Submit Date</i> field on the MH Admission form.
3	mci_flag	N/A	N/A	N/A	Defaults to N when MCI Clearance File is not selected in the Export files section of the State Reporting screen.
4	number_of_records_transmitted	N/A	N/A	N/A	Calculated during xml file creation.
5	record_id	N/A	dbo.Services	id	
6	recipient_id	Clients>Profile>Unique State Identifier	dbo.Clients	UniqueStateIdentifier	This field stores the state assigned MCI number.
7	provider_number	provider_number	Provider NPI per Service or NPI Mapping		The Service Provider's NPI is used unless an NPI mapping overrides it.
8	spc	spc	Configuration>Services/Payers>Service Definitions>Profile>Other Field	dbo.ServiceDefinitions	ServiceCategory
9	unit_or_basis_for_measurement_code	N/A	dbo.WippsSpcUnits	Unit	The Unit of the SPC Service Defintion of the reported Service is included in the XML file. This is not captured on a form or within the UI.
10	quantity	N/A			Calculated value using the Service duration and the Service Definition's <i>Unit Calculation</i> and <i>Minutes Per Unit</i> values.
11	recipient_first_name	Clients>Profile>First Name	dbo.ClientNames	FirstName	
12	recipient_middle_name	Clients>Profile>Middle Name	dbo.ClientNames	MiddleName	
13	recipient_last_name	Clients>Profile>Last Name	dbo.ClientNames	LastName	
14	recipient_suffix_name	Clients>Profile>Suffix	dbo.ClientNames	Suffix	
15	recipient_birth_date	Clients>Profile>Birth Date	dbo.Clients	BirthDate	
16	social_securty_number	Clients>Profile>Social Security #	dbo.Clients	SSN	
17	gender	Clients>Profile>Gender At Birth	dbo.Clients	GenderAtBirth	If GenderAtBirth is Null, then the value in the Legal Gender field is reported. If both are NULL, the job throws an error.
18	street_address1	Clients>Contact Info>Edit Client Contact Information>Address	dbo.ClientAddresses	Address1	

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
19	street_address2	Clients>Contact Info>Edit Client Contact Information>Address 2	dbo.ClientAddresses	Address2	
20	city	Clients>Contact Info>Edit Client Contact Information>City	dbo.ClientAddresses	City	
21	state_abbreviation	Clients>Contact Info>Edit Client Contact Information>State	dbo.ClientAddresses	State	
22	zip_code	Clients>Contact Info>Edit Client Contact Information>Zip + Zip Ext.	dbo.ClientAddresses	Zip + ZipExtension	Reports either a 5 or 9-digit zip code.
23	agency_responsibility_id	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	AgencyofResponsibilityID	The drop-down list contains the values from the <i>WI PPS Agencies of Responsibility</i> Defined List. Required field validated at the Form Level.
24	brc_target_population	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	BRCtargetPopulation	The drop-down list contains the values from the <i>WI PPS Target Populations</i> Defined List.
25	brc_target_population_update	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	BRCtargetPopulationUpdate	<i>WI PPS Target Populations</i> Defined List, except 'S'.
26	characteristic1	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	Characteristic1	The drop-down list contains the values from the <i>WI PPS Client Characteristics</i> Defined List.
27	characteristic2	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	Characteristic2	Same as above.
28	characteristic3	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	Characteristic3	Same as above.
29	commitment_status	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	CommitmentStatus	The drop-down list contains the values from the <i>WI PPS Legal / Commitment Status</i> Defined List.
30	commitment_status_review_due_date	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	CommitmentStatusReviewDueDate	
31	commitment_status_update	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	CommitmentStatusUpdate	
32	criminal_justice_system_1	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	CriminalJusticeSystem1	The drop-down list contains the values from the <i>WI PPS Criminal Justice System</i> Defined List. Form level validation for 2-4 to be empty if this data element is set to (1) none.
33	criminal_justice_system_2	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	CriminalJusticeSystem2	"
34	criminal_justice_system_3	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	CriminalJusticeSystem3	"
35	criminal_justice_system_4	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	CriminalJusticeSystem4	"
36	daily_activity_1	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	DailyActivity1	The drop-down list contains the values from the <i>WI PPS Daily Activities</i> Defined List.
37	daily_activity_2	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	DailyActivity2	"
38	daily_activity_3	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	DailyActivity3	"

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
39	diagnosis_code_principal	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form>Principal Diagnosis Code	dbo.WIPPSMH	DiagnosisCodePrincipal	The drop-down list contains the <i>Diagnosis</i> values from the <i>Clients > Diagnosis</i> tab. Required Field validated at Form Level.
40	diagnostic_impression_1	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	DiagnosticImpression1	The drop-down list contains the Client's diagnoses. Diagnosis codes can not be duplicated in the diagnostic_impression data elements or the same diagnosis entered as diagnosis_Code_principal.
41	diagnostic_impression_2	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	DiagnosticImpression2	"
42	diagnostic_impression_3	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	DiagnosticImpression3	"
43	diagnostic_impression_4	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	DiagnosticImpression4	"
44	diagnostic_impression_5	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	DiagnosticImpression5	"
45	diagnostic_impression_6	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	DiagnosticImpression6	"
46	diagnostic_impression_7	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	DiagnosticImpression7	"
47	employment	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	EmploymentStatus	The drop-down list contains the values from the Employment Status Defined List. This is a core defined list so the valid PPS codes are not loaded by the Acorn.
48	health_status	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	HealthStatus	The drop-down list contains the values from the <i>WI PPS Health Status</i> Defined List.
49	number_of_arrests_in_past_30_days	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	NumberOfArrestsInPast30Days	
50	number_of_arrests_in_past_6_months	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	NumberOfArrestsInPast6Months	
51	presenting_problem_1	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	PresentingProblem1	The drop-down list contains the values from the <i>WI PPS Presenting Problems</i> Defined List.
52	presenting_problem_2	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	PresentingProblem2	Same as above.
53	presenting_problem_3	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	PresentingProblem3	Same as above.
54	psychosocial_environment_stressor	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	PsychosocialEnvironmentStressor	The drop-down list contains the values from the <i>WI PPS Psychological Stressors</i> Defined List.
55	referral_source	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	ReferralSource	The drop-down list contains the values from the <i>WI PPS Referral Sources</i> Defined List.
56	report_date	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	ReportDate	
57	spc_review_due_year_month	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	SPCReviewDate	

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
58	suicide_risk	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	SuicideRisk	The drop-down list contains the values from the WI PPS Suicide Risks Defined List.
59	episode_start_date	Clients>Timeline>WI MH Episode	dbo.Episodes	StartDate	The open MH Episode Start Date.
60	veteran_status	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	VeteranStatus	The drop-down list contains the values from the <i>Veteran Status</i> core Defined List so PPS valid codes are not loaded by the Acorn.
61	episode_end_date	Clients>Timeline>WI MH Episode>End Date	dbo.Episodes	EndDate	The End Date can also be populated on the <i>Clients Episode</i> tab.
62	episode_end_reason	Clients>Timeline>WI MH Episode>End Date	dbo.Episodes	EndReason	A custom mapping form is installed by the Acorn with current default values for MH and CORE modules. If <i>episode_end_date</i> is <i>Not Null</i> then this element is required. This reason can also be populated on the <i>Clients Episode</i> tab.
63	spc_start_date	Service Entry	dbo.Services	StartDate	The Start Date of the first Service in the MH SPC Enrollment.
64	spc_end_date	Clients>Timeline>WI MH Episode>SPC Enrollments>End Date	dbo.WIPPSSpcEnrollments	EndDate	The End Date entered on the SPCEnrollments form for the associated Episode. If the Enrollment remains open at the time of reporting, the application populates this with the End Date of the reporting period and reports SPC End Reason 19.
65	spc_end_reason	Clients>Timeline>WI MH Episode>SPC Enrollments>End Date	dbo.WIPPSSpcEnrollments	EndReason	This field is required if <i>spc_end_date</i> is not Null. The drop-down list contains the MH end reasons from the <i>WI SPC End Reasons</i> Defined List.
66	unknown_race	Clients>Profile>Race Grid	dbo.ClientRaces	Race	If the <i>Race Refused</i> checkbox is selected, the PPS job throws an Error for missing <i>race_code1</i> . If EV code value <i>2131-1 Other Race</i> is selected in the grid, this element reports as Y and no other race elements report.
67	race_code1	Clients>Profile>Race Grid	dbo.ClientRaces	Race	Priority 1. **See Release Notes for how values are translated and how reporting order is established.**
68	race_code2	Clients>Profile>Race Grid	dbo.ClientRaces	Race	Priority 2.
69	race_code3	Clients>Profile>Race Grid	dbo.ClientRaces	Race	Priority 3.
70	race_code4	Clients>Profile>Race Grid	dbo.ClientRaces	Race	Priority 4.
71	race_code5	Clients>Profile>Race Grid	dbo.ClientRaces	Race	Priority 5.

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
72	hispanic_latino	Clients>Profile>Ethnicity Grid	dbo.ClientEthnicities	Ethnicity	Job validates that at least one ethnicity element is Y.
73	non_hispanic_latino	Clients>Profile>Ethnicity Grid	dbo.ClientEthnicities	Ethnicity	Job validates that at least one ethnicity element is Y.
74	unknown_ethnicity	Clients>Profile>Ethnicity Refused checkbox is selected.	dbo.Clients	DeclinedEthnicity	Job validates that at least one ethnicity element is Y.
75	county_of_residence	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	CountyOfResidence	The drop-down list contains the values from the <i>WI PPS Counties</i> Defined List. This field is required at the form level but the value is only included in the XML when Client address state is WI.
76	residential_arrangement	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form	dbo.WIPPSMH	LivingArrangement	The drop-down list contains the values from the <i>Living Arrangements</i> Defined List.
77	first_contact_date	Clients>Timeline>WI MH Episode>WI PPS MH Assessment Form>CDT First Contact Date *displayed only	dbo.WIPPSMH	HistoricalFirstContactDate	If a value exists in HistoricalFirstContactDate, it is reported in the <i>first_contact_date</i> data element. If this value is NULL, <i>first_contact_date</i> is not reported.
	episode_id	Not reported			Not Required.
	family_id	Not reported			Not Required.
	local_client_id	Not reported			Not Required.
	service_worker_id	Not reported			Not Required.
	spc_delivery_year_month	Not reported			Not Required.
	telephone_number	Not reported			Not Required.
	worker_id	Not reported			Not Required.

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
1	submitter_organization	State Reporting>Create>PPS>Organization Id	--	--	Entered each time a PPS xml file is created.
2	submission_date	N/A	dbo.WIPPSAODA	SubmissionDate	This date defaults to the date the xml file is created. If this column has a value or values, the most recent is displayed in the <i>Last Submit Date</i> field on the AODA Admission form.
3	mci_flag	N/A	N/A	N/A	Defaults to N when MCI Clearance File is not selected in the Export files section of the State Reporting screen.
4	number_of_records_transmitted	N/A	N/A	N/A	Calculated during xml file creation.
5	record_id	N/A	dbo.Services	id	
6	recipient_id	Clients>Profile>Unique State Identifier	dbo.Clients	UniqueStateIdentifier	This field/column stores the state assigned MCI.
7	provider_number	provider_number	Provider NPI per Service or NPI Mapping		The Service Provider's NPI is used unless an NPI mapping overrides it.
8	spc	spc	Configuration>Services/Providers>Service Definitions>Profile>Other Field	dbo.ServiceDefinitions	ServiceCategory
9	unit_or_basis_for_measurement_code	N/A	dbo.WippsSpcUnits	Unit	The Unit of the Service Definition SPC of the reported Service is included in the XML file. This is not captured on a form or within the UI.

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
10	quantity	N/A			Calculated value using the Service duration and the Service Definition's <i>Unit Calculation</i> and <i>Minutes Per Unit</i> values.
11	recipient_first_name	Clients>Profile>First Name	dbo.ClientNames	FirstName	
12	recipient_middle_name	Clients>Profile>Middle Name	dbo.ClientNames	MiddleName	
13	recipient_last_name	Clients>Profile>Last Name	dbo.ClientNames	LastName	
14	recipient_suffix_name	Clients>Profile>Suffix	dbo.ClientNames	Suffix	
15	recipient_birth_date	Clients>Profile>Birth Date	dbo.Clients	BirthDate	
16	social_security_number	Clients>Profile>Social Security #	dbo.Clients	SSN	
17	gender	Clients>Profile>Gender At Birth	dbo.Clients	GenderAtBirth	If GenderAtBirth is Null, then the value in the Legal Gender field is reported. If both are NULL, the job throws an error.
18	street_address1	Clients>Contact Info>Edit Client Contact Information>Addresses	dbo.ClientAddresses	Address1	
19	street_address2	Clients>Contact Info>Edit Client Contact Information>Addresses 2	dbo.ClientAddresses	Address2	

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
20	city	Clients>Contact Info>Edit Client Contact Information>City	dbo.ClientAddresses	City	
21	state_abbreviation	Clients>Contact Info>Edit Client Contact Information>State	dbo.ClientAddresses	State	
22	zip_code	Clients>Contact Info>Edit Client Contact Information>Zip + Zip Ext.	dbo.ClientAddresses	Zip + ZipExtension	Reports either a 5 or 9-digit zip code.
23	agency_responsibility_id	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	AgencyofResponsibilityID	The drop-down list contains the values from the <i>WI PPS Agencies of Responsibility</i> Defined List. Required field validated at the Form Level.
24	characteristic1	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	Characteristic1	The drop-down list contains the values from the <i>WI PPS Client Characteristics</i> Defined List. Required field validated at the Form Level.
25	characteristic2	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	Characteristic2	
26	characteristic3	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	Characteristic3	

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
27	pregnant_at_time_of_admission	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	PregnantAtAdmission	Only required if Client <i>Birth Gender (or Legal Gender in absence of Birth Gender)</i> is Female and Brief Service and Co Dependent Collateral are No.
28	employment_status	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	EmploymentStatus	The drop-down list contains the values from the <i>Employment Status core Defined List</i> so PPS valid codes are not loaded by the acorn. There is a form validation to require this field when Brief Service and Co Dependent Collateral are both No.
29	registration_living_situation	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	RegistrationLivingSituation	The drop-down list contains the values from the <i>Living Arrangements core Defined List</i> so PPS valid codes are not loaded by the acorn. There is a form validation to require this field when Brief Service and Co Dependent Collateral are both No.
30	diagnosis_code_principal	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	DiagnosisCodePrincipal	The drop-down list contains the <i>Diagnosis</i> values from the <i>Clients > Diagnosis</i> tab. Required Field validated at Form Level.
31	referral_source	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	ReferralSource	The drop-down list contains the values from the <i>WI PPS Referral Sources</i> Defined List. Required field validated at the Form Level.

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
32	episode_start_date	Clients>Timeline>W I AODA Episode	dbo.Episodes	StartDate	The open AODA Episode Start Date.
33	veteran_status	Clients>Timeline>W I AODA Episode>W I AODA Data>AODA Admission tab	dbo.WIPPSAODA	VeteranStatus	The drop-down list contains the values from the <i>Veteran Status</i> core Defined List so PPS valid codes are not loaded by the Acorn.
34	episode_end_date	Clients>Timeline>W I AODA Episode>End Date	dbo.Episodes	EndDate	The End Date and Reason can also be populated on the <i>Clients Episode</i> tab.
35	spc_start_date	Service Entry	dbo.Services	StartDate	The Start Date of the first Service in the AODA SPC Enrollment.
36	spc_end_date	Clients>Timeline>W I AODA Episode>SPC Enrollments>End Date	dbo.WIPSSpcEnrollments	EndDate	The End Date entered on the SPCEnrollments form for the associated Episode. If the Enrollment remains open at the time of reporting, the application populates this with the End Date of the reporting period and reports SPC End Reason 19.
37	spc_end_reason	Clients>Timeline>W I AODA Episode>SPC Enrollments>End Date	dbo.WIPSSpcEnrollments	EndReason	This field is required if spc_end_date is not Null. The drop-down list contains the AODA end reasons from the <i>W/ PPS SPC End Reasons</i> Defined List.

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
38	unknown_race	Clients>Profile>Race Grid	dbo.ClientRaces	Race	If the <i>Race Refused</i> checkbox is selected, the PPS job throws an Error for missing race_code1. If EV code value 2131-1 <i>Other Race</i> is selected in the grid, this element reports as Y and no other race elements report.
39	race_code1	Clients>Profile>Race Grid	dbo.ClientRaces	Race	Priority 1. **See Release Notes for how values are translated and how reporting order is established.**
40	race_code2	Clients>Profile>Race Grid	dbo.ClientRaces	Race	Priority 2.
41	race_code3	Clients>Profile>Race Grid	dbo.ClientRaces	Race	Priority 3.
42	race_code4	Clients>Profile>Race Grid	dbo.ClientRaces	Race	Priority 4.
43	race_code5	Clients>Profile>Race Grid	dbo.ClientRaces	Race	Priority 5.
44	hispanic_latino	Clients>Profile>Ethnicity Grid	dbo.ClientEthnicities	Ethnicity	Job validates that at least one ethnicity element is Y.
45	non_hispanic_latino	Clients>Profile>Ethnicity Grid	dbo.ClientEthnicities	Ethnicity	Job validates that at least one ethnicity element is Y.
46	unknown_ethnicity	Clients>Profile>Ethnicity Refused checkbox is selected.	dbo.Clients	DeclinedEthnicity	Job validates that at least one ethnicity element is Y.

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
47	county_of_residence	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	CountyOfResidence	The drop-down list contains the values from the <i>WI PPS Counties</i> Defined List. This field is required at the form level but the value is only included in the XML when Client address state is WI.
48	brief_service	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	BriefService	Required field validated at Form Level. Once saved, this field cannot change from 'No' to 'Yes.'
49	co_dependent_collateral	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	CoDependentCollateral	Required field validated at Form Level. Once saved, this field cannot change from 'No' to 'Yes.'
50	special_project_reporting	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	SpecialProjectReporting	The drop-down list contains the values from the <i>WI PPS Special Project Reporting</i> Defined List.
51	co_existing_mental_illness	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	CoExistingMentalIllness	
52	deaf_or_hard_of_hearing	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	DeafOrHardOfHearing	

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
53	education_at_time_of_admission	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	EducationAtAdmission	The drop-down list contains the values from the <i>WI PPS AODA Educations</i> Defined List. There is a form validation to require this field when Brief Service and Co Dependent Collateral are both No.
54	support_group_attend_at_admin	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	SupportGroupAttendAtAdmin	The drop-down list contains the values from the <i>WI PPS Support Group Attendance</i> Defined List.
55	registration_arrests	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	RegistrationArrests	There is a form validation to require this field when Brief Service and Co Dependent Collateral are both No.
56	use_frequency_primary	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	UseFrequencyPrimary	The drop-down list contains the values from the <i>WI PPS Use Frequency</i> Defined List. There is a form validation to require this field when Brief Service and Co Dependent Collateral are both No.
57	use_frequency_secondary	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	UseFrequencySecondary	
58	use_frequency_tertiary	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	UseFrequencyTertiary	

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
59	age_at_first_use_primary	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	AgeFirstUsePrimary	There is a form validation to require this field when Brief Service and Co Dependent Collateral are N.
60	age_at_first_use_secondary	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	AgeFirstUseSecondary	
61	age_at_first_use_tertiary	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	AgeFirstUseTertiary	
62	usual_administration_primary	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	UsualAdministrationPrimary	The drop-down list contains the values from the <i>WI PPS Route Administration</i> Defined List. There is a form validation to require this field when Brief Service and Co Dependent Collateral are N.
63	usual_administration_secondary	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	UsualAdministrationSecondary	
64	usual_administration_tertiary	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	UsualAdministrationTertiary	

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
65	substance_problem_at_episode_end_primary	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	SubstanceProblemEpisodeEndPrimary	
66	substance_problem_at_episode_end_secondary	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	SubstanceProblemEpisodeEndSecondary	
67	substance_problem_at_episode_end_tertiary	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	SubstanceProblemEpisodeEndTertiary	
68	substance_problem_primary	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	SubstanceProblemPrimary	The drop-down list contains the values from the <i>WI PPS Substance Problems Defined</i> List. This field is required when Brief Service and Co Dependent Collateral are both No.
69	substance_problem_secondary	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	SubstanceProblemSecondary	
70	substance_problem_tertiary	Clients>Timeline>WI AODA Episode>WI AODA Data>AODA Admission tab	dbo.WIPPSAODA	SubstanceProblemTertiary	

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
71	close_status_A	Clients>Timeline>W I AODA Episode>WI AODA Data>Discharge tab	dbo.WIPPSAODA	CloseStatusA	For close_status_A, AR, LA, E, and support group, if one has a value then all will require a value at the form level.
72	close_status_support_group	Clients>Timeline>W I AODA Episode>WI AODA Data>Discharge tab	dbo.WIPPSAODA	CloseStatusSupportGroup	Same as above
73	close_status_AR	Clients>Timeline>W I AODA Episode>WI AODA Data>Discharge tab	dbo.WIPPSAODA	CloseStatusAR	Same as above
74	close_status_LA	Clients>Timeline>W I AODA Episode>WI AODA Data>Discharge tab	dbo.WIPPSAODA	CloseStatusLA	Same as above
75	close_status_E	Clients>Timeline>W I AODA Episode>WI AODA Data>Discharge tab	dbo.WIPPSAODA	CloseStatusE	Same as above
76	first_contact_date	Clients>Timeline>W I MH Episode>WI PPS AODA Assessment Form>CDT First Contact Date *displayed only	dbo.WIPPSAODA	HistoricalFirstContactDate	If a value exists in HistoricalFirstContactDate, it is reported in the <i>first_contact_date</i> data element. If this value is NULL, <i>first_contact_date</i> is not reported.
	episode_id	Not reported			Not Required.
	family_id	Not reported			Not Required.

XML Order	PPS Data Element	Capture Location	Table Name	Column Name	Notes
	local_client_id	Not reported			Not Required.
	spc_delivery_year_month	Not reported			Not Required.
	spc_review_due_year_month	Not reported			Not Required.
	service_worker_id	Not reported			Not Required.
	target_group	Not reported			Not Required.
	telephone_number	Not reported			Not Required.
	worker_id	Not reported			Not Required.

XML Order	PPS Data Element Name	Capture Location	Table Name	Column Name	Notes
1	submitter_organization_id	State Reporting>Create>PPS>Organization Id	--	--	Entered each time a PPS xml file is created.
2	submission_date	N/A	dbo.WIPPSCORE	SubmissionDate	This date defaults to the date the xml file is created. If this column has a value or values, the most recent is displayed in the <i>Last Submit Date</i> field on the CORE Admission form.
3	mci_flag	N/A	N/A	N/A	Defaults to N when MCI Clearance File is not selected in the Export files section of the State Reporting screen.
4	number_of_records_transmitted	N/A	N/A	N/A	Calculated during xml file
5	record_id	N/A	dbo.Services	id	
6	recipient_id	Clients>Profile>Unique State Identifier	dbo.Clients	UniqueStateIdentifier	This field/column stores the state assigned MCI.
7	provider_number	Provider NPI per Service or NPI Mapping			The Service Provider's NPI is used unless an NPI mapping overrides it.

XML Order	PPS Data Element Name	Capture Location	Table Name	Column Name	Notes
8	spc	Configuration >Services/Payers>Service Definitions>P rofile> Other Field	dbo.ServiceDefinitions	ServiceCategory	
9	recipient_first_name	Clients>Profil e>First Name	dbo.ClientNames	FirstName	
10	recipient_middle_name	Clients>Profil e>Middle Name	dbo.ClientNames	MiddleName	
11	recipient_last_name	Clients>Profil e>Last Name	dbo.ClientNames	LastName	
12	recipient_suffix_name	Clients>Profil e>Suffix	dbo.ClientNames	Suffix	
13	recipient_birth_date	Clients>Profil e>Birth Date	dbo.Clients	BirthDate	
14	social_security_number	Clients>Profil e>Social Security #	dbo.Clients	SSN	
15	gender	Clients>Profil e>Gender At Birth	dbo.Clients	GenderAtBirth	If GenderAtBirth is Null, then the value in the Legal Gender field is reported. If both are NULL, the job throws an error.

XML Order	PPS Data Element Name	Capture Location	Table Name	Column Name	Notes
16	street_address1	Clients>Contact Info>Edit Client Contact Information>Address	dbo.ClientAddresses	Address1	
17	street_address2	Clients>Contact Info>Edit Client Contact Information>Address 2	dbo.ClientAddresses	Address2	
18	city	Clients>Contact Info>Edit Client Contact Information>City	dbo.ClientAddresses	City	
19	state_abbreviation	Clients>Contact Info>Edit Client Contact Information>State	dbo.ClientAddresses	State	
20	zip_code	Clients>Contact Info>Edit Client Contact Information>Zip + Zip Ext.	dbo.ClientAddresses	Zip + ZipExtension	Reports either a 5 or 9-digit zip code.

XML Order	PPS Data Element Name	Capture Location	Table Name	Column Name	Notes
21	client_char_1	Clients>Timeline>WI Core Episode>Core Admission Form>Client Characteristics 1	dbo.WIPPSCORE	Characteristic1	The drop-down list for client_char_1,2,3 is validated against the values in the <i>WI PPS Client Characteristics</i> Defined List.
22	client_char_2	Clients>Timeline>WI Core Episode>Core Admission Form>Client Characteristics 2	dbo.WIPPSCORE	Characteristic2	Job validates that client_char_1 is not Null.
23	client_char_3	Clients>Timeline>WI Core Episode>Core Admission Form>Client Characteristics 3	dbo.WIPPSCORE	Characteristic3	Job validates that both client_char_1,2 are not Null.
24	county_of_responsibility	Clients>Timeline>WI Core Episode>CORE Admission	dbo.WIPPSCORE	CountyofResponsibility	The drop-down list contains the values from the <i>WI PPS Counties</i> Defined List.

XML Order	PPS Data Element Name	Capture Location	Table Name	Column Name	Notes
25	target_group	Clients>Timeline>WI Core Episode>CORE Admission>Target Group	dbo.WIPPSCORE	TargetGroup	The drop-down list contains the values from the <i>WI PPS CORE Target Groups</i> Defined List.
26	spc_start_date	Service Entry	dbo.Services	StartDate	The Start Date of the first Service in the CORE SPC Enrollment.
27	spc_end_date	Clients>Timeline>WI CORE Episode>SPC Enrollments>End Date	dbo.WIPPSSpcEnrollments	EndDate	Either the End Date entered on the SPCEnrollments form for the associated CORE Episode OR the End Date of the reporting period.
28	unknown_race	Clients>Profile>Race Grid	dbo.ClientRaces	Race	If the <i>Race Refused</i> checkbox is selected, the PPS job throws an Error for missing race_code1. If EV code value <i>2131-1 Other Race</i> is selected in the grid, this element reports as Y and no other race elements report.
29	race_code1	Clients>Profile>Race Grid	dbo.ClientRaces	Race	Priority 1. **See Release Notes for how values are translated and how reporting order is established.**
30	race_code2	Clients>Profile>Race Grid	dbo.ClientRaces	Race	Priority 2.

XML Order	PPS Data Element Name	Capture Location	Table Name	Column Name	Notes
31	race_code3	Clients>Profile>Race Grid	dbo.ClientRaces	Race	Priority 3.
32	race_code4	Clients>Profile>Race Grid	dbo.ClientRaces	Race	Priority 4.
33	race_code5	Clients>Profile>Race Grid	dbo.ClientRaces	Race	Priority 5.
34	ethnic_hispanic_latino_flag	Clients>Profile>Ethnicity Grid	dbo.ClientEthnicities	Ethnicity	Job validates that at least one ethnicity element is Y.
35	ethnic_nonhispanic_latino_flag	Clients>Profile>Ethnicity Grid	dbo.ClientEthnicities	Ethnicity	Job validates that at least one ethnicity element is Y.
36	ethnic_unknown_flag	Clients>Profile>Ethnicity Refused	dbo.Clients	DeclinedEthnicity	Job validates that at least one ethnicity element is Y.
37	county_of_residence	Clients>Timeline>WI Core Episode>CORE Admission	dbo.WIPPSCORE	CountyOfResidence	The drop-down list contains the values from the <i>WI PPS Counties Defined List</i> .
38	start_date	Clients>Timeline>WI Core Episode	dbo.Episodes	StartDate	The open CORE Episode Start Date.
39	closing_date	Clients>Timeline>WI Core Episode>End Date	dbo.Episodes	EndDate	The End Date and Reason can also be populated on the <i>Clients Episode</i> tab.

XML Order	PPS Data Element Name	Capture Location	Table Name	Column Name	Notes
40	closing_reason_code	Clients>Timeli ne>Wi Core Episode>End Reason	dbo.Episodes	End Reason	A custom mapping form is installed by the Acorn with current default values for MH and CORE modules. If closing_date is <i>Not Null</i> then this element is required. This reason can also be populated on the <i>Clients Episode</i> tab.
	diagnosis_code	Not reported			Removed. Element is not required & State does not yet accept ICD-10 codes for CORE.
	episode_id	Not reported			Not Required.
	local_data_dsc	Not reported			Not Required.
	related_family_id	Not reported			Not Required.
	spc_review_date	Not reported			Not Required.
	telephone_number	Not reported			Not Required.
	worker_id	Not reported			Not Required.