



FORM DESIGN EHR RELEASE NOTES

VERSION 6.0.36

REQUIRES ECHOVANTAGE VERSION 3.35 OR HIGHER

IMPROVEMENTS

Increased Validation List Stored Column Size

In `dbo.validation_lists`, the `stored_column` value is now `varchar(200)`. Previously this value was only a `varchar(40)` and prevented the use of longer table names.

The screenshot shows the 'Table Driven Validations Setup' window. On the left, a table lists various validation types and their stored column names. The 'Stored...' column is circled in red. On the right, the 'SQL Statement' field contains a query. Below that, the 'New Validation List' dialog is open, showing a table selection for 'dbo.ClientContactRoleDefinitions'. The 'ClientContactRoleDefinitions.Code' field is checked and highlighted in yellow. The 'Store' button is also circled in red.

Name	Description	Stored...
Allergy Re...	Allergy Reaction Codes	vProble...
Allergy St...	Client Allergy Status	vClientAl...
Allergy Type	Client Allergy Type	vClientAl...
BHOLD Att...	BHOLD Attendance Codes	vAttend...
BHOLD Pa...	BHOLD Payer Categories	PayerCa...
BHOLD Pro...	BHOLD Program codes	VProgra...
BHOLD Su...	BHOLD Sub Program Codes	SubProg...
BHOLD_Ac...	BHOLD Activity Codes	vActivity...
BMI Perce...	Vital Signs BMI Percentile	vVitalSig...
BMINotDone	BMI Not Done Reason	VNotDon...
Care Plan ...	Care Plan Procedure Orders	vCarePla...
CarePlan ...	Care Plan Goals	vCarePla...
CarePlanE...	Care Plan Encounter Orders	vCarePla...
CarePlanR...	Care Plan Referral Type Code	vReferra...
CDC Agency	CDC Agency	Code
CDC Coun...	CDCCountyOfCommit	Code
CDC Drug ...	CDC Drug of Choice	Code
CDC Problem	CDC Primary, Sec, Tert Problem	Code
CDC Progr...	CDC Program Procedure Code	Code
CDC Referral	CDC Referral	Code
CDC Satellite	CDC Satellite	Code
Characteri...	Staff Characteristics	Charact...
Client Code	Client Code,Last Name, First Name	VClientC...
Client Con...	Contains values for Client Contact R...	ClientCo...
Client Epis...	Client Episodes	VEpisode...
Client ID	Client ID	VClientC...
Client Name	Client Name	id
Client Prof...	Employment Status	Employm...
Client Prof...	Ethnicity for state reporting	StateRe...
Client Prof...	Income Source	IncomeS...
Client Prof...	Legal Status	LegalSta...

Allow No Selection Radio Button Property

A new Radio Button Property, *Allow No Selection*, was added in this release of FormDesignEHR. If selected, there is no default radio button selected when adding a new record. In the following image, the first set of radio buttons has *Allow No Selection* radio button property set to True.



Opening the form above in Form DesignEHR, the *Allow No Selection* checkbox is selected for the first Radio Button as shown in the following image.

Property	Value
Name	RadioButton1
Hint Text	
Alignment	Left
Button Layout	Vertical
Index	3
Tab Order	3
Items	YESNO
Top	156
Left	52
Height	78
Width	120
Table	dbo.hjs_RadioButton
Column	RadioButton1
Data Type	String
Key Column	<input type="checkbox"/>
GUID Column	<input type="checkbox"/>
Visible	<input checked="" type="checkbox"/>
Read Only	<input type="checkbox"/>
Popup From Field Value	
Selected Value	NO
Allow No Selection	<input checked="" type="checkbox"/>

- When this property is not checked, the Radio Button defaults to the item set in the *Selected Value* property or the first item if the *Selected Value* property is not set.
- If the form is saved without a radio button selection where the *Allow No Selection* property is set to true, the record is saved with a *NULL* value for that Radio Button.



When this property is checked (set to True) AND the parent form is not signed or is unlocked, the linked child form is editable.

The screenshot shows a form titled "MOTS Addiction" with a close button in the top right corner. The form is divided into several sections:

- Substance Problem:** Three dropdown menus for Primary (04 Marijuana), Secondary (01 None), and Tertiary (01 None).
- Age at First Use:** Three input fields for Primary (13), Secondary, and Tertiary.
- Frequency of Use:** Three dropdown menus for Primary (3 1-2 time), Secondary (6 Not Appl), and Tertiary (6 Not Appl).
- Usual Route of Administration:** Three dropdown menus for Primary (Smoking), Secondary (N/A), and Tertiary (N/A).
- DUII Completion Date:** A date input field.
- Medication Assisted Treatment:** A dropdown menu set to "None".
- Frequency of Attendance at Self Help Programs:** A dropdown menu set to "1 No atten".
- Positive Alcohol/Drug Tests:** An input field with the value "2".
- Addiction Assessed LOC:** A dropdown menu set to "03 Level 1".
- Addiction Current LOC:** A dropdown menu set to "03 Level 1".
- Children in Residential Treatment with Parent:** A section with a table header "Date Of Birth", a "Show all" dropdown, and a table body.

At the bottom of the form, there is a "Signatures" section with a refresh icon and the text "No current signatures". A red oval highlights the "New", "Delete", "Save", and "Cancel" buttons, with a red arrow pointing from this oval to the "No current signatures" text.

If the *Inherit Parent Lock* property is not checked (set to False), the linked child form is editable whether the parent form is signed or unsigned.