



How are our interventions effecting depression?

12


new admissions this month

3


initial assessments completed




Level of Difficulty, Current Year



Total Score by Month



Severity, Current Year



Total Score

11.77 average total score

116 assessments

5/21/2020

12/22/2021



Assessment Type
All

Programs
All

Locations
All

Staff
All

Payers
All

Genders
All


Age at Assessment
All

Races/Ethnicities
All


Depression Severity
All

Level of Difficulty
All


Average Total Score by Month




Average Total Score by Location



Average Total Score by Program



Average Total Score by Staff





Assessment Type
All

Programs
All

Locations
All

Staff
All

Payers
All

Genders
All


Age at Assessment
All

Races/Ethnicities
All


Depression Severity
All

Level of Difficulty
All


Severity by Month




Severity



Severity by Program



Severity by Location





Assessment Type
All

Programs
All

Locations
All

Staff
All

Payers
All

Genders
All


Age at Assessment
All

Races/Ethnicities
All


Depression Severity
All

Level of Difficulty
All


Level of Difficulty by Month




Level of Difficulty



Level of Difficulty by Program



Level of Difficulty by Location





Assessment Type
All

Programs
All

Locations
All

Staff
All

Payers
All

Genders
All

Age at Assessment
All


Races/Ethnicities
All

Depression Severity
All

Level of Difficulty
All

Average Scores for Individual Items

● Little interest ● Feeling down ● Trouble with sleep ● Feeling tired ● Poor appetite or overeating ● Feeling bad about yourself ● Trouble concentrating ● Excessively high or low energy ● Self-harm



1. Little interest or pleasure in doing things	0=Not at all
2. Feeling down, depressed, or hopeless	1=Several days
3. Trouble falling or staying asleep, or sleeping too much	2=More than half the days
4. Feeling tired or having little energy	3=Nearly every day
5. Poor appetite or overeating	
6. Feeling bad about yourself or that you are a failure or have let yourself or your family down	
7. Trouble concentrating on things, such as reading the newspaper or watching television	
8. Moving or speaking so slowly that other people could have noticed. Or the opposite being so fidgety or restless that you have been moving around a lot more than usual	
9. Thoughts that you would be better off dead, or of hurting yourself	

Change in PHQ-9

5/21/2020

12/22/2021



Assessment Type
All

Programs
All

Locations
All

Staff
All

Payers
All

Genders
All


Age at Assessment
All

Races/Ethnicities
All


Depression Severity
All

Level of Difficulty
All


Average Total Score by Month




Change in Individual Items



Level of Difficulty



Severity





Assessment Type
All

Programs
All

Locations
All

Staff
All

Payers
All

Genders
All


Age at Assessment
All

Races/Ethnicities
All


Depression Severity
All

Level of Difficulty
All


Assessment Status



Assessment Status



Assessment Status by Program





Assessment Type
All

Programs
All

Locations
All

Staff
All

Payers
All

Genders
All


Age at Assessment
All

Races/Ethnicities
All


Depression Severity
All

Level of Difficulty
All


Initial PHQ-9 Form Created




Initial PHQ-9 Form Created



Initial PHQ-9 Form Created by Program



Average Days to Form Creation





Assessment Type
All

Programs
All

Locations
All

Staff
All

Payers
All

Genders
All

Age at Assessment
All

Races/Ethnicities
All

Depression Severity
All

Level of Difficulty
All


Average Score by Age at Assessment




Average Score by Zip



Average Score by Gender



Average Score by Race/Ethnicity



Client Progress

Clients
Olsen, James

Assessed By
All

4 assessments

5/21/2020 12/22/2021



- Assessment Type: All
- Programs: All
- Locations: All
- Staff: All
- Payers: All
- Genders: All
- Age at Assessment: All
- Races/Ethnicities: All
- Depression Severity: All
- Level of Difficulty: All


20-27 Severe depression
15-19 Moderately severe
10-14 Moderate depression
5-9 Mild depression
1-4 Minimal depression

5=Severe depression
4=Moderately severe
3=Moderate depression
2=Mild depression
1=Minimal depression
0=None


3=Extremely difficult
2=Very difficult
1=Somewhat difficult
0=Not difficult at all

3=Nearly every day
2=More than half the days
1=Several days
0=Not at all

Total Score



Severity



Level of Difficulty



Average Scores for Individual Items

